



## MOVE

### ORDER FORM - MANITOBA

P.O. number: \* \_\_\_\_\_ Date: \_\_\_\_\_

Company Name: \* \_\_\_\_\_ Phone: \* \_\_\_\_\_

Ordered by: \* \_\_\_\_\_

Clinician/ATP/RTS: \_\_\_\_\_

Email: \_\_\_\_\_

Marked for: \_\_\_\_\_

Ship to: \* \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ Prov: \_\_\_\_\_

Postal Code: \_\_\_\_\_

Phone: \_\_\_\_\_

\* Required

MVMA050

English Manual (STD)

MVMA051

Manuel Français

Taxes not included

MODEL										
1	MVWC01	Ultralight MOVE wheelchair aluminum. (265 lb weight capacity)								<input type="checkbox"/>
2	MVWC09	Heavy duty kit (350 lb weight capacity)								<input type="checkbox"/>
SEAT WIDTH <sup>3</sup>										
3	MVSW	Seat width:	14" <input type="checkbox"/>	16" <input type="checkbox"/>	18" <sup>1</sup> <input type="checkbox"/>					<input type="checkbox"/>
4	MVSW	Seat width:		20" <sup>1</sup> <input type="checkbox"/>	22" <sup>2</sup> <input type="checkbox"/>					<input type="checkbox"/>
SEAT DEPTH										
5	MVSD	Seat depth:		16" <input type="checkbox"/>	18" <input type="checkbox"/>					<input type="checkbox"/>
6	MVSD	Seat depth:		20" <input type="checkbox"/>						<input type="checkbox"/>

1 - Available with HD option

2 - Only available with HD option

[3. Width calculator](#)

### Move FRONT Seat-to-floor Height - Please select your choice

Fork/Position		4" caster (l)			5" caster			6" caster			8" caster		
		Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	12 1/2	13 1/2	14 1/2									
	P2	13	14	15	13 1/2	14 1/2	15 1/2						
5"	P1												
	P2	13	14	15	13 1/2	14 1/2	15 1/2						
	P3	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2			
	P4	14	15	16	14 1/2	15 1/2	16 1/2	15	16	17			
7"	P1							15 1/2	16 1/2	17 1/2			
	P2				15 1/2	16 1/2	17 1/2	16	17	18			
	P3				16	17	18	16 1/2	17 1/2	18 1/2	17 1/2	18 1/2	19 1/2
	P4	16	17	18	16 1/2	17 1/2	18 1/2	17	18	19	18	19	20
	P5	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18 1/2	19 1/2	20 1/2

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS											
7	MVCA01	Composite wheel w/ PU tire (1" width)	4" (J) <input type="checkbox"/>	5" <input type="checkbox"/>	6" <input type="checkbox"/>	8" <input type="checkbox"/>			4"= J	<input type="checkbox"/>	
8	MVCA10	Pneumatic 6" x 1 1/4"							J	<input type="checkbox"/>	
9	MVCA11	Pneumatic 8" x 1 1/4"							J	<input type="checkbox"/>	
10	MVCA14	Newton UltraCaster Soft-Roll Composite	4" x 1 1/2"							J	<input type="checkbox"/>
11	MVCA15		5" x 1 1/2"								<input type="checkbox"/>
12	MVCA16		6" x 1 1/2"								<input type="checkbox"/>
13	MVCA17		4" x 1 1/2"							OTP	<input type="checkbox"/>
14	MVCA18	Newton UltraCaster Soft-Roll Aluminum	5" x 1 1/2"							OTP	<input type="checkbox"/>
15	MVCA19		6" x 1 1/2"							OTP	<input type="checkbox"/>

**Move REAR Seat-to-floor Height - Please circle your choice**

20" (J)	22"	24"	25" (OTP)	26" (OTP)
12 1/4"	13"	14"	14 1/4"	15"
13 1/4"	14"	15"	15 1/4"	16"
14 1/4"	15"	16"	16 1/4"	17"
15 1/4"	16"	17"	17 1/4"	18"
16 1/4"	17"	18"	18 1/4"	19"
17 1/4"	18"	19"	19 1/4"	20"

*Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1/2" of selected seat to floor height"*

SWING-AWAY FOOTREST										
16	MVFR01	60° swing away footrest	See line 18 ( 5 - 13.5" ) <input type="checkbox"/>	13.5 - 17.5" <input type="checkbox"/>	15.5 - 19.5" <input type="checkbox"/>	17 - 21" <input type="checkbox"/>			Set at:*	<input type="checkbox"/>
17	MVFR02	70° swing away footrest	See line 18 ( 5 - 13.5" ) <input type="checkbox"/>	13.5 - 17.5" <input type="checkbox"/>	15.5 - 19.5" <input type="checkbox"/>	17 - 21" <input type="checkbox"/>			Set at:*	<input type="checkbox"/>
<b>FOOTREST OPTIONS</b>										
18	MVFR09	High mount (footplate attached to the hanger with clamps)			Range: 5 - 13.5"				Set at:*	J <input type="checkbox"/>

\* +/- 1/2"

ELEVATING LEGREST (unit)										
<i>The elevating legrest replace the footrest side selected</i>										
19	MVFR10	Elevating legrest with calf pad, 14" - 19" Length adjustable		Left <input type="checkbox"/>	Right <input type="checkbox"/>				Set at:	J <input type="checkbox"/>

FOOTPLATES										
20	MVFP01	Standard - Composite								<input type="checkbox"/>
21	MVFP02	Newton adjustable angle - Composite							J	<input type="checkbox"/>
22	MVFP03	Newton adjustable angle - Aluminum							OTP	<input type="checkbox"/>

FOOTPLATE ACCESSORIES										
23	MVFP08	Length adjustable heel loop								<input checked="" type="checkbox"/>
24	MVFP09	Calf strap							OTP	<input type="checkbox"/>
25	MVFP30	Bodypoint Aeromesh Padded calf strap							OTP	<input type="checkbox"/>

RESIDUAL LIMB SUPPORT (Height and angle adjustable) (unit)										
26	MVFR23	Swing away residual limb support - 7" x 9"		Left <input type="checkbox"/>	Right <input type="checkbox"/>				J	<input type="checkbox"/>
27	MVFR12	Swing away residual limb support - 8" x 11"		Left <input type="checkbox"/>	Right <input type="checkbox"/>				J	<input type="checkbox"/>

**Back canes with integrated fixed height push handle**

FIXED ANGLE BACK										
28	MVBC01	8° bend aluminum back cane	16" <input type="checkbox"/>	18" <input type="checkbox"/>	20" <input type="checkbox"/>	STD				<input type="checkbox"/>
ADJUSTABLE ANGLE BACK										
29	MVBC02	8° bend aluminum back cane		16" <input type="checkbox"/>	20" <input type="checkbox"/>	STD			J	<input type="checkbox"/>
30		Select back cane angle:	90° <input type="checkbox"/>	95° STD <input type="checkbox"/>	100° <input type="checkbox"/>	105° <input type="checkbox"/>	110° <input type="checkbox"/>			

STROLLER HANDLE AND STABILIZER BAR <sup>1</sup>										
31	MVPH04	Stroller handle (not available with the HD option)							OTP	<input type="checkbox"/>
32	MVPH03	Folding stabilizer bar							J	<input type="checkbox"/>

<sup>1</sup> - Stroller handle and stabilizer bar can't be combined

BACK UPHOLSTERY						
33	MVBH05	Slip-on Nylon back upholstery				<input type="checkbox"/>
34	MVBH06	Adjustable tension Nylon back upholstery			OTP	<input type="checkbox"/>
35	MVBH99	Omit back upholstery				<input type="checkbox"/>

SEAT CUSHIONS						
36	MVSC99	Omit seat cushion				<input type="checkbox"/>

REAR WHEELS								
37	MVRW01	Mag <sup>1</sup>	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>	20"= J <input type="checkbox"/>		
38	MVRW02	Newton One - spoke wheel <sup>2</sup>	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>	20"= J <input type="checkbox"/>		
39	MVRW03	Newton Gravity - ultralight wheel	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>	OTP <input type="checkbox"/>

1 - HP tires are not compatible with Mag Wheels -use only aluminum or plastic coated handrim

2- Not compatible with Shox tires

TIRES		Available			
40	MVTI01	Soft Urethane 1 1/4 "	20", 22" 24"	20"= J	<input type="checkbox"/>
41	MVTI02	Soft Urethane knobby 1 3/8 "	22", 24", 25", 26"	25"/26" = OTP	<input type="checkbox"/>
42	MVTI04	Soft Urethane - Shox 1"	22", 24", 25", 26"	OTP	<input type="checkbox"/>
43	MVTI05	Pneumatic 1 3/8 "	20", 22", 24", 25", 26"	20"= J	<input type="checkbox"/>
44	MVTI08	Pneumatic with Airless insert 1 3/8"	22", 24"	25"/26" = OTP	<input type="checkbox"/>
45	MVTI06	Pneumatic HP - 1"	20", 22", 24", 25", 26"	OTP	<input type="checkbox"/>
46	MVTI07	Pneumatic HP - Schwalbe Marathon Plus 1"	24", 25", 26"	OTP	<input type="checkbox"/>

HANDRIM						
47	MVHR01	Aluminum anodized				<input type="checkbox"/>
48	MVHR07	Newton Air Grip <sup>1</sup>	Noir <input type="checkbox"/>		J	<input type="checkbox"/>
49	MVHR08	Newton Air Grip <sup>1</sup>	(08) Sunkissed Orange <input type="checkbox"/>	(09) Burgundy <input type="checkbox"/>	(10) Sapphire Blue <input type="checkbox"/>	<input type="checkbox"/>
		(11) Monster Green <input type="checkbox"/>	(12) Charcoal <input type="checkbox"/>	(13) Fuchsia <input type="checkbox"/>	(14) Steel Blue <input type="checkbox"/>	OTP <input type="checkbox"/>
		(15) Ferrari Red <input type="checkbox"/>	(16) Acid Green <input type="checkbox"/>	(17) White <input type="checkbox"/>	(18) Sky Blue <input type="checkbox"/>	<input type="checkbox"/>
<b>Assembly position for aluminum and Newton AirGrip handrims</b>						
50	MVHR29	Standard Handrim position	Full tab			<input type="checkbox"/>
51	MVHR30	Narrow Handrim position (not available in 22")	Short tab 2 positions	J		<input type="checkbox"/>
52	MVHR31	Super Narrow Handrim (not available in 22")	Short tab 2 positions STD <input type="checkbox"/>	Short tab 1 position <input type="checkbox"/>	J	<input type="checkbox"/>

HANDRIM						
53	MVHR02	Plastic coated <sup>3</sup>			OTP	<input type="checkbox"/>
54	MVHR03	Q-Grip High friction Neoprene coated <sup>1,2,3</sup>			OTP	<input type="checkbox"/>
55	MVHR28	Surge <sup>1,2,3</sup>	(1-1/2" Oval handrim w/ Gripton high friction strip)		OTP	<input type="checkbox"/>
56	MVHR05	Surge LT <sup>1,2,3</sup>	(1-1/8" Oval handrim w/ Gripton high friction strip)		OTP	<input type="checkbox"/>
57	MVHR04	Natural Fit Standard Grip <sup>1,2,3</sup>	(1-1/2" Oval handrim w/standard thumb piece)		OTP	<input type="checkbox"/>
58	MVHR25	Natural Fit Super Grip <sup>1,2,3</sup>	(1-1/2" Oval handrim w/super grip thumb piece)		OTP	<input type="checkbox"/>
59	MVHR99	Omit handrim			J	<input type="checkbox"/>

1- Not available with Mag wheels

2 - Not available in 20"

3- Only standard handrim position available


ONE ARM DRIVE						
60	MVHR22	One arm drive <sup>4</sup>	24"	left <input type="checkbox"/>	right <input type="checkbox"/>	<input type="checkbox"/>

4 - Only available with Newton One wheels, aluminum or plastic handrims

AXLES (0° camber)						
61	MVAX01	Quick release axle				<input type="checkbox"/>
62	MVAX02	Permanent axle				<input type="checkbox"/>
63	MVAX03	Quad release axle				<input type="checkbox"/>
AXLE PLATE						
64	MVAX04	Amputee adjustable axle plate <sup>1</sup>			J	<input type="checkbox"/>

1 - May limit seat to floor height available

**CENTER OF GRAVITY**



**Choose position of rear wheel axle plate:**

Measure distance from front of back post to center of axle receiver.

Default setting is at 3/4"

Most stable	Most responsive
AMPUTEE	3/4"      2"
<input type="checkbox"/>	<input type="checkbox"/>

WHEEL LOCKS						
65	MVWL08	Newton Wheel lock - push to lock				<input type="checkbox"/>
66	MVWL02	Pull to lock				<input type="checkbox"/>
67	MVWL04	Newton grade aid push to lock <i>(suggested with pneumatic or high pressure tire)</i>			<b>OTP</b>	<input type="checkbox"/>
68	MVWL13 MVWL14	6" removable extension handle				<input type="checkbox"/>
69	MVWL06	Attendant Lock <i>(additional set of wheel lock mounted to the back)</i>			<b>OTP</b>	<input type="checkbox"/>
70	MVWL99	Omit wheel locks				<input type="checkbox"/>

FLIP BACK ARMREST <i>(Convertible to "T" armrest)</i> <sup>1</sup>		Height Adjustment		Removable function			
71	MVAR01	10" Desk length arm pad	8 - 12" <b>STD</b> <input type="checkbox"/>	10 - 14" <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> <i>STD</i>	<input type="checkbox"/>
72	MVAR02	14" Full length arm pad	8 - 12" <b>STD</b> <input type="checkbox"/>	10 - 14" <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> <i>STD</i>	<input type="checkbox"/>
"T" ARMREST <sup>1</sup>		Height Adjustment					
73	MVAR03	10" Desk length arm pad	8 - 12" <b>STD</b> <input type="checkbox"/>	10 - 14" <input type="checkbox"/>			<input type="checkbox"/>
74	MVAR04	14" Full length arm pad	8 - 12" <b>STD</b> <input type="checkbox"/>	10 - 14" <input type="checkbox"/>			<input type="checkbox"/>

<sup>1</sup> - May have a 1/2 " adjustment restriction on both limits of the range

GEL ARM PAD						
75	MVAR12	14" Full Length Arm Pad - Gel Ovation			<b>OTP</b>	<input type="checkbox"/>
76	MVAR99	Omit armrest			<b>J</b>	<input type="checkbox"/>

POSITIONING BELTS							
77	MVSB02	Auto buckle <sup>1</sup>	Standard 35" <input type="checkbox"/>	Long 60" <input type="checkbox"/>			<input type="checkbox"/>
78	MVSB07	Hardware attachment for 2 point seatbelt (1 pair) <sup>1</sup>					<input type="checkbox"/>
79	MVSB03	Additional hardware for 2 extra attachment points <i>(needed for the 4 point seat belt) (1 pair)</i>			<b>OTP</b>		<input type="checkbox"/>
80	MVSB05	BodyPoint Hip Belt - 2 point padded	Small 51" <input type="checkbox"/>	Medium 56" <input type="checkbox"/>	Long 61" <input type="checkbox"/>	<b>OTP</b>	<input type="checkbox"/>
81	MVSB06	BodyPoint Hip Belt - 4 point padded	Small 51" <input type="checkbox"/>	Medium 56" <input type="checkbox"/>	Long 61" <input type="checkbox"/>	<b>OTP</b>	<input type="checkbox"/>
82	MVSB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps	Medium 18" <input type="checkbox"/>	Long 24" <input type="checkbox"/>	<b>OTP</b>		<input type="checkbox"/>

<sup>1</sup> - Must be selected with 350 lb HD wheelchair


ACCESSORIES										
83	MVAC03	Anti tippers								<input type="checkbox"/>
84	MVAC27	Tip assist <sup>1</sup>						OTP		<input type="checkbox"/>
85	MVAC04	Transit Tie Down for 350 lb HD wheelchair <sup>2</sup>								<input type="checkbox"/>
86	MVAC05	WC-19 Transit Tie Down w/Q'strain belt for 265 lb wheelchair <sup>3</sup>	Short belt 20-41" <input type="checkbox"/>	Long belt 20-46" <input type="checkbox"/>						<input type="checkbox"/>
87	MVAC08	Spoke guards <sup>4</sup>	Available: 20", 22", 24", 26"						OTP	<input type="checkbox"/>
88	MVAC09	Footrest neoprene impact guard (pair) - Black						OTP		<input type="checkbox"/>
89	MVAC26	BodyPoint Mobility Bag						OTP		<input type="checkbox"/>
90	MVAC23	Newton Backpack						OTP		<input type="checkbox"/>

1 - Cannot be combined with Anti Tippers    2 - Must be selected with 350 lb HD wheelchair

3 - Not available with the swing away armrest ; Not available with HD option ; must be selected with 265 lb wheelchair    4 - Not available with Mag wheels

FRAME COLOR (with black aluminum crossbrace)											
91	MVFC01	Black <input type="checkbox"/>								<input type="checkbox"/>	
92	MVFC03	Sunkissed Orange <input type="checkbox"/>	Burgundy <input type="checkbox"/>	Sapphire Blue <input type="checkbox"/>	Monster Green <input type="checkbox"/>			OTP		<input type="checkbox"/>	
		Charcoal <input type="checkbox"/>	Fuchsia <input type="checkbox"/>	Steel Blue <input type="checkbox"/>	Ferrari Red <input type="checkbox"/>	Acid Green <input type="checkbox"/>					
93	MVFC99	Custom Color	<a href="#">Specify PPG Paintit color:</a>						OTP		<input type="checkbox"/>

<b>TOTAL</b>										
--------------	--	--	--	--	--	--	--	--	--	--



**Notes :**