

EIPW23

**▼ ACCOUNT INFORMATION**

Dealer Contact Name:	_____	P.O. # or Quote:	_____
E-mail Address:	_____	User Name or Number:	_____
Phone Number:	_____ Fax Number: _____	User Weight:	_____
Bill to (Name):	_____	User Height:	_____
Bill to (Location):	_____	Seat Cushion Thickness:	_____
Ship to (Name):	_____	Knee to Heel Length: Left: _____ Right: _____	
Address:	_____		
City:	_____		
Province:	_____ Postal Code: _____		

The order cannot be processed without the following:  
 - A user name or number, the client's measurements and weight  
 - Sunrise Medical is not responsible for configuration or size discrepancies resulting from customer errors on the order form.  
 - Order confirmations will be provided by Sunrise Medical summarizing the items selected. Please review this carefully.  
 - Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

**▼ STANDARD OPTIONS**

Quickie Xperience 2 HD Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 6" front casters, and standard auto style buckle seat positioning strap, 6.5mph motors.

**▼ QUICKIE XPERIENCE 2 STD POWER WHEELCHAIR**

XPERHD2 QUICKIE XPERIENCE 2 HD Power Wheelchair

**▼ USER WEIGHT PACKAGES**

WCA45 450 lbs. Maximum user weight capacity

**▼ STANDARD FRAME COLORS**

FCBLK Black

**▼ OPTIONAL FRAME COLORS (May Increase lead times)**

Includes matching accessories with the Hydro Graphics Option. The matching accessories option is not required with these colours.

**▼ TRANSPORT OPTION**

TTD4 1 4-Point wheelchair transport brackets  
 Note 1 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval. Use these transport brackets only to secure an unoccupied wheelchair during transport.

**▼ MOTOR PACKAGE**

MP65 6.5 MPH 4-Pole Motor Package

**▼ ASSISTIVE DRIVING PACKAGE**

INTELLIDR 2, 3 Intelli-Drive OTP  
 Note 2 Intelli-Drive technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control.  
 Note 3 Requires the R-net PM 120 Amp Expandable Controller (ECR120)

**▼ BATTERY CHARGER**

BCOB 8A Offboard Battery Charger

**▼ BATTERY TRAY AND FRAME SIZE**

FS24B Battery Tray for Group 24 Batteries (Total frame width = 25 3/8")

**▼ BATTERIES**

BAT24PR MK GEL Batteries – Group 24 (Each-On chair)

**▼ CHOOSE TIRE COLOR (APPLIES TO ALL TIRES OR CASTERS)**

GREY

**▼ DRIVE WHEEL**

<input type="checkbox"/>	DW14PT		14" Cast Wheel Pneumatic Tire		J
<input type="checkbox"/>	DW14PI		14" Cast Wheel Pneumatic with Flat-Free Inserts		
<input type="checkbox"/>	DW144PT	4	14" x 4" Extra Wide Cast Wheel Pneumatic Tire		OTP
<input type="checkbox"/>	DW144PI	4	14" x 4" Extra Wide Cast Wheel Pneumatic with Flat-Free Inserts		OTP
<input type="checkbox"/>	DW12PT	5	12 1/2" Cast Wheel Pneumatic Tire		OTP
<input type="checkbox"/>	DW12PI	5	12 1/2" Cast Wheel Pneumatic with Flat-Free Inserts		J

**Note 4** The 14" x 4" Extra Wide Wheel increases the overall width of the Base by 2 1/2"  
 The option to match the wheels to the shroud colour (FC...M) is not available with the 14" x 4" Extra Wide Wheels.  
 The 14" x 4" option is not available with the VR2 non-expandable electronics (ECV902A)

**Note 5** 12 1/2" Drive wheels reduce overall seat to floor height by 1/4", lowers ground clearance and speed, but increases motor torque

**▼ FRONT CASTERS**

<input type="checkbox"/>	FC6S		6" Solid Casters (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI)		OTP
<input type="checkbox"/>	FC8PT	6	8" Pneumatic Casters		J
<input type="checkbox"/>	FC8PI	6	8" Pneumatic Casters with Flat-Free Inserts		

**Note 6** The 8" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)

**▼ SEAT TO FLOOR HEIGHT (Approximate measurement to the top of seat pan ± 1/4")**

**► Options for a Seat Only**

<input type="checkbox"/>	STFH155	7	15 1/2" (Possible Seat angle of 0° only)	<input type="checkbox"/>	STFH1825	18 1/4" (Possible Seat angle of 0° and 3°)
<input type="checkbox"/>	STFH1625		16 1/4" (Possible Seat angle of 0° only)	<input type="checkbox"/>	STFH1925	19 1/4" (Possible Seat angle of 0°, 3°, 6°)
<input type="checkbox"/>	STFH1725		17 1/4" (Possible Seat angle of 0° and 3°)	<input type="checkbox"/>	STFH2025	20 1/4" (Possible Seat angle of 0°, 3°, 6°, 9°)

**► Options for a Power Tilt or a STD Power Elevating Seat**

<input type="checkbox"/>	STFH155	7, 8	15 1/2" (Possible Seat angle of 0° only)	<input type="checkbox"/>	STFH1775	17 3/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>	STFH1625	8	16 1/4" (Possible Seat angle of 0° only)	<input type="checkbox"/>	STFH1875	18 3/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>	STFH1725	8	17 1/4" (Possible Seat angle of 0° only)			

**► Options for a Combo - Power Tilt with a STD Power Elevating Seat**

<input type="checkbox"/>	STFH175		17 1/2" (Possible Seat angle of 0° only)	<input type="checkbox"/>	STFH1825	18 1/4" (Possible Seat angle of 0° only)
--------------------------	---------	--	--	--------------------------	----------	--

**Note 7** Requires the 12 1/2" Drive wheels (DW12PT or DW12PI). This lowers ground clearance and speed, but increases motor torque.  
**Note 8** These seat to floor height measurements are not available with the Heavy-Duty 11" Power Elevating Seat (ADDPESXHD)

**▼ PRE-SET SEAT FRAME ANGLE**

<input type="checkbox"/>	SFE-0		0° Pre-set seat frame seat angle (Must be selected when using power options)
<input type="checkbox"/>	SFE-3		3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)
<input type="checkbox"/>	SFE-6		6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)
<input type="checkbox"/>	SFE-9		9° Pre-set seat frame seat angle (Only available with a seat configuration without power options)

▼ NON-EXPANDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER AND JOYSTICKS			
<input type="checkbox"/>	ECV902A	VR2 90 Amp Drive Controller	
<input type="checkbox"/>	ECVJ4K	10 VR2 Standard 4-Key Joystick	
<input type="checkbox"/>	ECVJ6K	10 VR2 6-Key Joystick (Allows for a single power option to operate through this joystick)	
<input type="checkbox"/>	ECVJ9KL	10 VR2 9-Key Joystick with Lighting Operation (Allows for a single power function to operate through this joystick)	OTP
	<b>Note 10</b>	Requires the VR2 90A Drive Control (ECV902A) VR2 Electronics can only accommodate a single power seat function. The only choices are Power Tilt or Elevating seat	
▼ EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS			
<input type="checkbox"/>	ECEL90	R-net EL 90 Amp Expandable Controller	J
<input type="checkbox"/>	ECR120	R-net PM 120 Amp Expandable Controller	OTP
<input type="checkbox"/>	ECRNH	11 Harness for Expandable Controller	
	<b>Note 11</b>	Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI screen	
▼ EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS			
Selection of one joystick option below is required with the expandable controller ECEL90 or ECR120			
<input type="checkbox"/>	ECO	Omit Joystick (For use with an OMNI Display)	J
<input type="checkbox"/>	ECELJ	12 R-net (LED) Joystick	J
<input type="checkbox"/>	ECRJCL	12 R-net Joystick with Color screen	J
▶ JOYSTICKS WITH LIGHTING OPERATION			
<input type="checkbox"/>	ECELJL	12 R-net (LED) Joystick with Lighting Operation	OTP
<input type="checkbox"/>	ECRJCL	12 R-net Joystick with Color screen and Lighting Operation	OTP
▶ ADVANCED JOYSTICK			
<input type="checkbox"/>	ECRJ35	12 R-net Advanced Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	OTP
<input type="checkbox"/>	ECRJ35B	12 R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	OTP
	<b>Note 12</b>	This option requires the expandable controller ECEL90 or ECR120	
▼ JOYSTICK MOUNT			
<input type="checkbox"/>	JSMF	Fixed Joystick Mount	
<input type="checkbox"/>	JMSA	Swing Away Joystick Mount - Height adjustable, Angle adjustable and Multi-Axis	OTP
		<input type="checkbox"/> Set-up with standard installation to swing-away sideways	<input type="checkbox"/> Set-up at 35° to swing-away sideways and downwards
<input type="checkbox"/>	JSMCM	Midline Mounted Swing Away Joystick Mount	OTP
▼ JOYSTICK MOUNT SUPPORT			
<input type="checkbox"/>	JSMFH	Joystick mount support Bracket	
▼ JOYSTICK HAND MOUNT			
<input type="checkbox"/>	HML	Install Joystick on Left hand side	<input type="checkbox"/> HMR Install Joystick on Right hand side
▼ JOYSTICK HANDLE			
<input type="checkbox"/>	JSH	Standard Joystick Gimble	
<input type="checkbox"/>	JBAT	Stick Handle 3" in Length	OTP
<input type="checkbox"/>	JBH	Ball Handle	OTP
<input type="checkbox"/>	JFBH	Foam Ball Handle	OTP
<input type="checkbox"/>	JTH	T-Handle	OTP
<input type="checkbox"/>	JMUSH	<b>New</b> 2.5" Mushroom Handle	OTP
<input type="checkbox"/>	JGP	Goalpost Handle	OTP
▼ ATTENDANT DRIVE CONTROL OPTION			
<input type="checkbox"/>	EADC	Attendant Hand Control for R-net EL & PM Controls	OTP
▼ ATTENDANT JOYSTICK HAND MOUNT			
<input type="checkbox"/>	EADCL	Install Attendant Joystick on Rear Left hand side	<input type="checkbox"/> EADCR Install Attendant Joystick on Rear Right hand side
			OTP
▼ ENHANCED DISPLAY & DIGITAL INTERFACE BOX (Included with specialty controls)			
<input type="checkbox"/>	EDIB	13 OMNI (Enhanced Display & Digital Interface Box with Infrared)	J
	<b>Note 13</b>	Allows the switch operation of alternative devices through driver controls. Requires one of the R-net fully Expandable Controllers (ECEL90 or ECR120)	
▼ ENHANCED DISPLAY MOUNT			
<input type="checkbox"/>	EDSAM	User Swing Away Mount	<input type="checkbox"/> EDML (Install Display on LH side) <input type="checkbox"/> EDMR (Install Display on RH side)
			J

**▼ ENVIRONMENTAL CONTROL MODULE**

<input type="checkbox"/> ECU	14	Environment control module - (Output Module)	OTP
		<b>Note 14</b> Requires one of the fully expandable R-net controllers (ECEL90 or ECR120)	

**▼ BLUETOOTH MOUSE EMULATOR (Includes USB Dongle)**

<input type="checkbox"/> EDBT	15	Bluetooth Mouse Emulator (USB Dongle included)	OTP
		<b>Note 15</b> Requires one of the fully expandable R-net controllers (ECEL90 or ECR120) . Not required if the ECRJC35B joystick has been selected Not limited to only one selection. Any two can be installed on the same chair, but only one can be used at a time.	
		<input type="checkbox"/> Windows and MAC OS	<input type="checkbox"/> Android Devices
			<input type="checkbox"/> iPhone, iPad and iPod

**▼ POWER OPTIONS & SEATING**

<input type="checkbox"/> SAABA		Amyseat Rehab Seat - Seat Frame only	
<input type="checkbox"/> SAPTXHD	16	Heavy-Duty CG Power Tilt	J
<input type="checkbox"/> SAPRXHD	16, 18	Heavy-Duty Power Recline with Integrated Shear Reduction (ISR)	J
<input type="checkbox"/> SAPTPRXHD	16, 18	Heavy-Duty CG Power Tilt and Power Recline with Integrated Shear Reduction (ISR)	J
<input type="checkbox"/> SAPESXHD	16, 17	Heavy-Duty 11" Power Elevating Seat Module for transfer assist	OTP
<input type="checkbox"/> ADDPESXHD	17	<b>Module</b> - Add a Heavy-Duty 11" Power Elevating Seat to either SAPTXHD, SAPRXHD or SAPTPRXHD	OTP
		<b>Note 16</b> These options include the fully adjustable Amyseat (SAABA)	
		<b>Note 17</b> The maximum user weight capacity with this option is 400 lbs	
		<b>Note 18</b> It is recommended to use the Contour Back Support option with the power reclines (STDSB or STDSB/CUSTOM)	

**▼ ELECTRONICS - SINGLE OR DUAL (1 OR 2 ACTUATORS) POWER SEAT FUNCTION CONTROLLERS**

<input type="checkbox"/> EPSV	19, 20	Tilt or Elevating seat activation through <b>6-key VR2</b> Hand Control (ECVJ6K or ECVJ9KL)	J
<input type="checkbox"/> EPSEL	19, 20	Tilt or Elevating seat activation through <b>R-NET 90 Amp Expandable Controller (ECEL90)</b>	J
<input type="checkbox"/> SAC		Single (1) Power Seat Function Controller to Interface through R-net Electronics	J
<input type="checkbox"/> DAC		Dual (2) Power Seat Function Controller to Interface through R-net Electronics	J
<b>With the SAC or DAC, please select one activation and position from the list below</b>			
<input type="checkbox"/> SWTJSS	21, 22	Single actuator activation through R-net Joystick or Specialty Controls EPSR2A	J
<input type="checkbox"/> SWTJSD	21, 23	Dual actuator activation through R-net Joystick or Specialty Controls EPSRA	J
<input type="checkbox"/> SWDUALACT		Dual Activation (Allows to operate all seat functions with external switches <b>and</b> through the joystick)	J
<input type="checkbox"/> SWTOGGLE	22 or 23	Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/> SWPUSH1	22	Single Push Button Switch (Single Mode: SAC)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/> SWPUSH2	22 or 23	Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
		<b>Note 19</b> Allows for the activation of a single power option through the VR2 or R-net 90 Amp Controllers. Only the Power Tilt or Elevating seat options are available with this feature.	
		<b>Note 20</b> These options do not require the SAC controller as they connect via the chair's power module directly	
		<b>Note 21</b> Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expandable Controllers	
		<b>Note 22</b> Requires the Single (1 Actuator) Power Seat Function (SAC)	
		<b>Note 23</b> Requires the Dual (2 Actuators) Power Seat Function (DAC)	

**▼ ELECTRONICS - MULTIPLE (3 to 6 ACTUATORS) POWER SEAT FUNCTION CONTROLLER**

<input type="checkbox"/> MAC		Multiple (3 to 6 Actuators) Power Seat Function Controller to Interface through R-net Electronics	J
<b>With the MAC, please select one activation and position from the list below</b>			
<input type="checkbox"/> SWTJSM	24, 25	Multiple Actuator activation through R-net Joystick or Specialty Controls MAC-EPSR	J
<input type="checkbox"/> SWDUALACT		Dual Activation (Allows to operate all seat functions with external switches <b>and</b> through the joystick)	J
<input type="checkbox"/> SWMULTI	25	4-Way Toggle Switch (Up to 4 Activations)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/> SWMULTIT	25	Triple Toggle Switch (Up to 5 Activations)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/> SWPUSH4	25	4-Way Push Button Switch	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/> SWPUSH5	25	5-Way Push Button Switch	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
		<b>Note 24</b> Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)	
		<b>Note 25</b> Requires the R-net 90 Amp (ECEL90) or 120 Amp (ECR120) Fully Expandable Controller, and the multiple Actuator Controller (MAC)	

**▼ SWITCH ACTIVATION HAND MOUNT**

Switch Installation:  TSM L (Install Switch on LH side)  TSM R (Install Switch on RH side)

▼ **LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 26"**

- SOWN19-24-22 Width adjustment from 19" to 24" with a maximum Depth 22"
- SOWN24-26-22 Width adjustment from 24" to 26" with a maximum Depth 22"

- |  |                                       |  |
|--|---------------------------------------|--|
| <input type="checkbox"/> 19" (SOWN19L) | <input type="checkbox"/> 22" (SOWN22) | <input type="checkbox"/> 24" (SOWN24HDL) |
| <input type="checkbox"/> 20" (SOWN20L) | <input type="checkbox"/> 23" (SOWN23) | <input type="checkbox"/> 25" (SOWN25HDL) |
| <input type="checkbox"/> 21" (SOWN21)  | <input type="checkbox"/> 24" (SOWN24) | <input type="checkbox"/> 26" (SOWN26HDL) |

▼ **ADJUSTABLE SEAT DEPTH RANGE BETWEEN 17" AND 22"**

- |                                       |                                       |
|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> 17" (SODN17) | <input type="checkbox"/> 18" (SODN18) |
| <input type="checkbox"/> 19" (SODN19) | <input type="checkbox"/> 20" (SODN20) |
| <input type="checkbox"/> 21" (SODN21) | <input type="checkbox"/> 22" (SODN22) |

▼ **BACK CANE HEIGHT (The back cane height measurement is taken from the seat pan to the top of the push handles)**

- |  |   |
|--|---|
| <input type="checkbox"/> 16" (SOBCH16) | <input type="checkbox"/> 22" (SOBCH22) 26 |
| <input type="checkbox"/> 18" (SOBCH18) | <input type="checkbox"/> 24" (SOBCH24)    |
| <input type="checkbox"/> 20" (SOBCH20) | <input type="checkbox"/> 26" (SOBCH26)    |

Note 26 22" is the minimum back cane height required with a power or manual recline.

▼ **PRE-SET SEAT ANGLE (For Non-Reclining Backs)**

- SOBAA Please Select one:  86°  90°  94°  98°  102°  106°  110°  114°  118°  122°

▼ **BACK SUPPORT**

- |  |   |     |
|--|---|-----|
| <input type="checkbox"/> STDSB                       | Standard contour back support 19" to 20" Wide with a maximum shell height of 22"          | OTP |
| <input type="checkbox"/> STDSB/CUSTOM                | Standard contour back support Non Standard Sizes up to 26" wide Width: _____ Depth: _____ | OTP |
| <input type="checkbox"/> Back Rest Upholstery        |   |     |
| <input type="checkbox"/> Omit Back Rest Upholstery   |   |     |
| <input type="checkbox"/> 3" Rigidizer Bar (Standard) |   |     |
| <input type="checkbox"/> 6" Rigidizer Bar            |   |     |

Note 27 It is recommended to use the Back Support option with the power recline.

▼ **BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)**

- |                                       |  |                                       |
|---------------------------------------|--|---------------------------------------|
| <input type="checkbox"/> 16" (SOBH16) | <input type="checkbox"/> 20" (SOBH20)    | <input type="checkbox"/> 24" (SOBH24) |
| <input type="checkbox"/> 18" (SOBH18) | <input type="checkbox"/> 22" (SOBH22) 28 | <input type="checkbox"/> 26" (SOBH26) |
|                                       |  | <input type="checkbox"/> 28" (SOBH28) |

▼ **DUAL POST - HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRANSFER GRIPS (For Non-Reclining Backs - Choose 2)**

- |                                   |   |
|-----------------------------------|---|
| <input type="checkbox"/> SOADPFLH | Dual Post Height Adjustable - Full Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")  |
| <input type="checkbox"/> SOADPFRH | Dual Post Height Adjustable - Full Length Right Side (Height Adjustable from 10 ¼" - 15 ¼") |
| <input type="checkbox"/> SOADPDLH | Dual Post Height Adjustable - Desk Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")  |
| <input type="checkbox"/> SOADPDRH | Dual Post Height Adjustable - Desk Length Right Side (Height Adjustable from 10 ¼" - 15 ¼") |

▼ **RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (For Reclining Backs - Choose 2)**

- |                                   |   |    |
|-----------------------------------|---|----|
| <input type="checkbox"/> SOANIFLH | Reclining armrest - Full Length Left Side (Height Adjustable from 10 ½" to 14" with ½" increments)  | J* |
| <input type="checkbox"/> SOANIFRH | Reclining armrest - Full Length Right Side (Height Adjustable from 10 ½" to 14" with ½" increments) | J* |
| <input type="checkbox"/> SOANIDLH | Reclining armrest - Desk Length Left Side (Height Adjustable from 10 ½" to 14" with ½" increments)  | J* |
| <input type="checkbox"/> SOANIDRH | Reclining armrest - Desk Length Right Side (Height Adjustable from 10 ½" to 14" with ½" increments) | J* |

\*Only available with approval for power recline (SMD)

**▼ ARMREST HEIGHT ADJUSTMENT AT FACTORY**

Please set the Armrest Height at: \_\_\_\_\_ " (The Armrest Height is taken from the seat pan to the top of the armpad. Not required for Dual Post)

**▼ ARMPADS**

**► Foam Type Selection**

<input type="checkbox"/>	SOFAPD	Desk Length Standard (10")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	
<input type="checkbox"/>	SOFAPF	Full Length Standard (14")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	
<input type="checkbox"/>	SOWAPD	30 Desk Length Waterfall (10")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	J
<input type="checkbox"/>	SOWAPF	30 Full Length Waterfall (14")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	J

**► Hybrid Gel and Foam Type Selection (The Gel always stays soft)**

<input type="checkbox"/>	SOGELD	Desk Length Hybrid Gel and Foam Flat armpad (10" x 2.5")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	OTP
<input type="checkbox"/>	SOGELF	Full Length Hybrid Gel and Foam Flat armpad (14" x 2.5")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	OTP
<input type="checkbox"/>	SOWGELD	30 Desk Length Hybrid Gel and Foam Waterfall armpad (10")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	OTP
<input type="checkbox"/>	SOWGELF	30 Full Length Hybrid Gel and Foam Waterfall armpad (14")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	OTP

**► Specialty Type Selection**

<input type="checkbox"/>	SOCAR	31 Arm Trough with Hand Support (18" x 4 1/2")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	OTP
<p>Note 30 The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports</p> <p>Note 31 Arm Trough Armpads may interfere with Armrests Flipping back.</p>					

**▼ FOOTRESTS**

<input type="checkbox"/>	SOAAF	35 Heavy Duty Swing-Away footrests	Set at: <input type="checkbox"/> 60°	<input type="checkbox"/> 70°	
			Select Footrest Range: <input type="checkbox"/> SOFLHD12 (12 1/2" - 15 1/2")	<input type="checkbox"/> SOFLHD14 (14 1/2" - 19 1/2")	
<input type="checkbox"/>	ADDPLHD	32, 35 Heavy Duty Power Elevating & Articulating Legrests	Please Select Function: <input type="checkbox"/> Individual <sup>33</sup>	<input type="checkbox"/> Combined <sup>34</sup>	J*
		35 Please set the Footrest Length at: _____ "	Select Footrest Range: <input type="checkbox"/> SOFLPW12 (12 1/2" - 15 1/2")	<input type="checkbox"/> SOFLPW14 (14 1/2" - 19 1/2")	*Only available with approval for power ELRs (SMD)

Note 32 This option includes calf pads  
 Note 33 Individual legs count as two power functions.  
 Note 34 Combined legs count as one power function.  
 Note 35 The Footrest Length is taken from the top of the seat pan to the top of the footplate.

**▼ FOOTPLATES & ACCESSORIES**

<input type="checkbox"/>	SOSFAF	Flip-up Footplates			
<input type="checkbox"/>	SOAFP	Angle Adjustable & Flip-up Footplates - Pair			J
<input type="checkbox"/>	SOAHL	Heel Loops - Pair			
<input type="checkbox"/>	SOACPFR	Calf Pads for Adult Heavy-Duty Swing-Away footrests (SOAAF) with adjustable hardware - Pair			J

**▼ CENTER MOUNTS**

<input type="checkbox"/>	SOAAF90	38, 39, 40 90° Fixed Center Mount Interface Bracket (Offers Manual adjustability from 95° to 70°)	Select Foot Platform Range: <input type="checkbox"/> SOFBA12 (12 1/2" - 16 1/2")	<input type="checkbox"/> SOFBA16 (16 1/2" - 19 1/2")	
<input type="checkbox"/>	ADDPFHD	36, 37, 38, 39, 40 90° Power Center Mount Elevating & Articulating Foot Platform	Select Foot Platform Range: <input type="checkbox"/> SOFBPW12 (12 1/2" - 16 1/2")	<input type="checkbox"/> SOFBPW16 (16 1/2" - 20 1/2")	J*
		35 Please set the Foot Platform Length at: _____ "	*Only available with approval for power ELRs (SMD)		

Note 36 The power center mount counts as one power function  
 Note 37 This option includes calf pads  
 Note 38 Links and attaches the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB) to the seat  
 Note 39 Please select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB)  
 Note 40 The Foot Platform length is taken from the top of the seat pan to the top of the foot platform or split footplates.

**▼ FOOT PLATFORMS & ACCESSORIES**

<input type="checkbox"/>	SOFUFP	Flip-up one piece Foot Platform			
<input type="checkbox"/>	SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount - Each			J
<input type="checkbox"/>	SOACPCM	Calf Pads for 90° Fixed Center Mount (SOAAF90) with adjustable hardware - Each			J

▼ SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19 ----- ISO OPTION)

- SOAUTO80                      80" Seat Positioning Strap

▼ HEADREST

- SONUAHR                      Using headrest mounting hardware other than SOMAH located below. Specify: \_\_\_\_\_
- \_\_\_\_\_                      Whitmyer PIL Linx Headrest
- \_\_\_\_\_                      M2300 Bracket

- SOHRSB                      Bracket to Mount on the Seat Frame crossbar **(Without Recline)**
- SOHRPR                      Bracket to Mount on the Seat Frame **(For Reclining Backs)**

Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed (The frame or back cushion)

▼ SWITCHES AND OPTIONS

- SSBS-STD                      Buddy Button Switch                      OTP
- SSES-STD                      Egg Switch-Black                      OTP
- SSML                      Ultra Light Switch                      OTP

**▼ SPECIALTY DRIVER CONTROL OPTIONS**

**▼ Therafin Sip-N-Puff Kit**

<input type="checkbox"/>	SCSNPK	41,42	Therafin Sip-N-Puff Kit			J
<input type="checkbox"/>	SCSNPBTK	42	Therafin Sip-N-Puff Breath Tube Kit			J
<input type="checkbox"/>	SCSRMSNP	42	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	J
<input type="checkbox"/>	SCSRM	42	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	J
<input type="checkbox"/>	SSES-STD	42, 44	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	J
<input type="checkbox"/>	SSBS-STD	42	Buddy Button Switch (Stop Switch) - Red			J
<input type="checkbox"/>	SOMAH	42	Multi-axis Headrest Removable Mounting Hardware			J
<input type="checkbox"/>	SOFHRS	43	Small Curved Headrest Pad 4" x 9"			J
<input type="checkbox"/>	SOFHRM	43	Medium Curved Headrest Pad 5" x 10"			J
<input type="checkbox"/>	SOFHRL	43	Large Curved Headrest Pad 6" x 11"			J

**▼ Switch-It Proximity Head Array**

<input type="checkbox"/>	SCSIHAA	41, 42	Adult - 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse			OTP
<input type="checkbox"/>	SCSRM	42	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	OTP
<input type="checkbox"/>	SSES-STD	42, 44	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	OTP
<input type="checkbox"/>	SSBS-STD	42	Buddy Button Switch (Stop Switch) - Red			OTP
<input type="checkbox"/>	SOMAH	42	Multi-axis Headrest Removable Mounting Hardware			OTP

**▼ Switch-It Proximity Head Array & Sip-N-Puff Combo**

<input type="checkbox"/>	SCSICMBOA	41,42	Adult-4 Switch Combo Head Array with two proximity sensors for Left & Right and Low pressure Sip-N-Puff for forward and reverse and 1/8"			OTP
<input type="checkbox"/>	SCSNPBTK	42	Therafin Sip-N-Puff Breath Tube Kit			OTP
<input type="checkbox"/>	SCSRMSNP	42	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	OTP
<input type="checkbox"/>	SCSRM	42	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	OTP
<input type="checkbox"/>	SSES-STD	42, 44	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	OTP
<input type="checkbox"/>	SSBS-STD	42	Buddy Button Switch (Stop Switch) - Red			OTP
<input type="checkbox"/>	SOMAH	42	Multi-axis Headrest Removable Mounting Hardware			OTP

**▼ Proportional RIM Head Control Package**

<input type="checkbox"/>	SCPHC	41, 42	Proportional RIM Head Control Package			J
<input type="checkbox"/>	SCSRM	42	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	J
<input type="checkbox"/>	SSES-STD	42,44	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	J
<input type="checkbox"/>	SOMAH	42	Multi-axis Headrest Removable Mounting Hardware			J

**▼ Switch-It MicroPilot Light Touch Proportional Mini joystick for chin / lip control**

<input type="checkbox"/>	SCSIMP	41, 42	MicroPilot Light touch mini Proportional Joystick			OTP
<input type="checkbox"/>	SCSRMMP	42	Stealth Rock-n-Lock Swingaway Arm for Chin MP	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	OTP
<input type="checkbox"/>	SCSRM	42	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	OTP
<input type="checkbox"/>	SSES-STD	42, 44	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	OTP
<input type="checkbox"/>	JCC		Chin Cup			OTP
<input type="checkbox"/>	SOMAH	42	Multi-axis Headrest Removable Mounting Hardware			OTP
<input type="checkbox"/>	SOFHRS	43	Small Curved Headrest Pad 4" x 9"			OTP
<input type="checkbox"/>	SOFHRM	43	Medium Curved Headrest Pad 5" x 10"			OTP
<input type="checkbox"/>	SOFHRL	43	Large Curved Headrest Pad 6" x 11"			OTP

**▼ Proportional Compact or Mini joystick for Midline Mount**

<input type="checkbox"/>	SCPGMJS	41, 42	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			J
<input type="checkbox"/>	SCGMJSM	45	Gatlin Midline Swing-away Mount for JC200	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	J
<input type="checkbox"/>	SCSIMP	41, 42	Switch-It MicroPilot Light touch mini Proportional Joystick			OTP
<input type="checkbox"/>	SCGMPPM	46	Gatlin Midline Swing-away Mount for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	OTP
<input type="checkbox"/>	SCBTM	47	Bullet Hand Tray for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	OTP

**▼ Proportional Compact or Mini joystick for Armrest Mount**

<input type="checkbox"/>	SCPGMJS	41, 42	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			J
<input type="checkbox"/>	SCARMJSM	45	Swing-away and Multi-Axis armrest mount	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	J
<input type="checkbox"/>	SCSIMP	41, 42	Switch-It MicroPilot Light touch mini Proportional Joystick			OTP
<input type="checkbox"/>	SCARMPPM	46	Swing-away and Multi-Axis armrest mount	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	OTP
<input type="checkbox"/>	SCBTM	47	Bullet Hand Tray for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	OTP

Note 41 Requires the OMNI Enhanced Display and Digital Interface Box (EDIB)

Note 42 This option must be selected for the kit

Note 43 Choose one (1) Headrest Pad

Note 44 The mode switch type can be changed from this selection on Page #6

Note 45 Must be selected for use with the PG Drives JC200 Mini Joystick

Note 46 Must be selected for use with the Switch-It MicroPilot

Note 47 This option is only compatible with the Switch-It MicroPilot



**▼ CUSTOM SECTION**

Note 48 Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.



**▼ NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS**

---

---

---

---

---

---

---

---