



Quickie Xplore2 HD - SMD
May 2019

EIPW24



▼ ACCOUNT INFORMATION

Dealer Contact Name:	_____	P.O. # or Quote:	_____
E-mail Address:	_____	User Name or Number:	_____
Phone Number:	_____ Fax Number: _____	User Weight:	_____
Bill to (Name):	_____	User Height:	_____
Bill to (Location):	_____	Seat Cushion Thickness:	_____
Ship to (Name):	_____	Knee to Heel Length: Left: _____ Right: _____	
Address:	_____		
City:	_____		
Province:	_____ Postal Code: _____		

The order cannot be processed without the following:
 - A user name or number, the client's measurements and weight
 - Sunrise Medical is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
 - Order confirmations will be provided by Sunrise Medical summarizing the items selected. Please review this carefully.
 - Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

▼ STANDARD OPTIONS

Quickie Xplore 2 STD Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 8" front casters, and standard auto style buckle seat positioning strap, 6.5 mph motors, Weight Capacity = **400 lbs.**

▼ QUICKIE Xplore 2 STD POWER WHEELCHAIR

XPLOREHD2... QUICKIE Xplore 2 HD Power Wheelchair

▼ USER WEIGHT PACKAGES


WCA34 400 lbs. Maximum user weight capacity

▼ STANDARD FRAME COLORS

FCBLK Black



▼ OPTIONAL FRAME COLORS (May Increase lead times)



Note 1 This options is included at no charge with the Hydro Graphics Frame Color option.

▼ TRANSPORT OPTION

TTD4 2 4-Point wheelchair transport brackets

Note 2 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval. Use these transport brackets only to secure an unoccupied wheelchair during transport.

▼ MOTOR PACKAGE

MP65 6.5 MPH 4-Pole Motor Package / with COG Release

▼ ASSISTIVE DRIVING PACKAGE

INTELLIDR Intelli-Drive

Note 3 Intelli-Drive technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control.

Note 4 Requires the R-net PM 120 Amp Expandable Controller (ECR120)

OTP

▼ BATTERY CHARGER

- BCOB 8A Offboard Battery Charger

▼ BATTERY TRAY AND FRAME SIZE

- FS24B Battery Tray for Group 24 Batteries (Total frame width = 25 3/8")
 Please Select One Option: Front Caster Arms Flared out (STD) Straight (Optional)
 Note 5 The Straight Front Arm option is not available with any of the Centermount Front Rigging Options due to Mechanical conflicts

▼ BATTERIES

- BAT24PR Gel Batteries-Group 24 (Each-On chair)

▼ CHOOSE TIRE COLOR (APPLIES TO ALL TIRES OR CASTERS)

- GREY

▼ DRIVE WHEEL

- | | | |
|----------------------------------|---|-----|
| <input type="checkbox"/> DW14PT | 14" Cast Wheel Pneumatic Tire | J |
| <input type="checkbox"/> DW14PI | 14" Cast Wheel Pneumatic with Flat-Free Inserts | |
| <input type="checkbox"/> DW144PT | 6 14" x 4" Extra Wide Cast Wheel Pneumatic Tire | OTP |
| <input type="checkbox"/> DW144PI | 6 14" x 4" Extra Wide Cast Wheel Pneumatic with Flat-Free Inserts | OTP |
| <input type="checkbox"/> DW12PT | 7 12 1/2" Cast Wheel Pneumatic Tire | OTP |
| <input type="checkbox"/> DW12PI | 7 12 1/2" Cast Wheel Pneumatic with Flat-Free Inserts | J |
- Note 6 The 14" x 4" Extra Wide Wheel increases the overall width of the Base by 2 1/2"
 The option to match the wheels to the shroud colour (FC...M) is not available with the 14" x 4" Extra Wide Wheels.
 The 14" x 4" option is not available with the VR2 electronics (ECV902A)
- Note 7 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque

▼ FRONT CASTERS

- | | | |
|---------------------------------|---|-----|
| <input type="checkbox"/> FC8PTR | 8" Pneumatic Casters | J |
| <input type="checkbox"/> FC8PIR | 8" Pneumatic Casters with Flat-Free Inserts | |
| <input type="checkbox"/> FC9PT | 8 9" Pneumatic Casters | OTP |
| <input type="checkbox"/> FC9PI | 8 9" Pneumatic Casters with Flat-Free Inserts | OTP |
- Note 8 The 9" casters will increase the minimum seat to floor height by 1/2" and are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)
 The 9" casters are NOT compatible with many front rigging options. Please see details in the front rigging section on pg #6.

▼ SEAT TO FLOOR HEIGHT (Approximate measurement to the top of seat pan ± 1/4")

► Options for a Seat Only

- | | | | |
|-----------------------------------|--|---------------------------------|---|
| <input type="checkbox"/> STFH1525 | 15 1/4" (Possible Seat angle of 0° only) | <input type="checkbox"/> STFH18 | 18" (Possible Seat angle of 0° and 3°) |
| <input type="checkbox"/> STFH16 | 16" (Possible Seat angle of 0° only) | <input type="checkbox"/> STFH19 | 19" (Possible Seat angle of 0°, 3° and 6°) |
| <input type="checkbox"/> STFH17 | 17" (Possible Seat angle of 0° and 3°) | <input type="checkbox"/> STFH20 | 20" (Possible Seat angle of 0°, 3°, 6°, 9°) |

► Options for a Power Tilt or a STD Power Elevating Seat

- | | | | |
|-----------------------------------|--|----------------------------------|--|
| <input type="checkbox"/> STFH1575 | 15 3/4" (Possible Seat angle of 0° only) | <input type="checkbox"/> STFH18 | 18" (Possible Seat angle of 0° only) |
| <input type="checkbox"/> STFH165 | 16 1/2" (Possible Seat angle of 0° only) | <input type="checkbox"/> STFH185 | 18 1/2" (Possible Seat angle of 0° only) |
| <input type="checkbox"/> STFH175 | 17 1/2" (Possible Seat angle of 0° only) | <input type="checkbox"/> STFH19 | 19" (Possible Seat angle of 0° only) |

► Options for a Combo - Power Tilt with a STD Power Elevating Seat

- | | |
|-----------------------------------|--|
| <input type="checkbox"/> STFH1875 | 18 3/4" (Possible Seat angle of 0° only) |
| <input type="checkbox"/> STFH195 | 19 1/2" (Possible Seat angle of 0° only) |
- Note 9 Requires the 12 1/2" Drive wheels (DW12PT or DW12PI). This lowers ground clearance and speed, but increases motor torque.
 Note 10 These seat to floor height measurement are not available with the Heavy-Duty 11" Power Elevating Seat (SAPESXHD or ADDRESXHD)
 Note 11 The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height.

▼ PRE-SET SEAT FRAME ANGLE

- | | |
|--------------------------------|---|
| <input type="checkbox"/> SFE-0 | 0° Pre-set seat frame seat angle (Must be selected when using power options) |
| <input type="checkbox"/> SFE-3 | 3° Pre-set seat frame seat angle (Only available with a seat configuration without power options) |
| <input type="checkbox"/> SFE-6 | 6° Pre-set seat frame seat angle (Only available with a seat configuration without power options) |
| <input type="checkbox"/> SFE-9 | 9° Pre-set seat frame seat angle (Only available with a seat configuration without power options) |

▼ NON-EXPANDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER AND JOYSTICKS

<input type="checkbox"/>	ECV902A	VR2 90 Amp Drive Controller	
<input type="checkbox"/>	ECVJ4K	13 VR2 Standard 4-Key Joystick	
<input type="checkbox"/>	ECVJ6K	13 VR2 6-Key Joystick (Allows for a single power option to operate through this joystick)	
<input type="checkbox"/>	ECVJ9KL	13 VR2 9-Key Joystick with Lighting Operation (Allows for a single power function to operate through this joystick)	OTP
Note 13 Requires the VR2 90A Drive Control (ECV902A)			
VR2 Electronics can only accommodate a single power seat function. The only choices are Power Tilt or Elevating seat			

▼ EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

<input type="checkbox"/>	ECEL90	R-net EL 90 Amp Expandable Controller	J
<input type="checkbox"/>	ECR120	R-net PM 120 Amp Expandable Controller	OTP
<input type="checkbox"/>	ECRNH	14 Harness for Expandable Controller	
Note 14 Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI screen			

▼ EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

<input type="checkbox"/>	ECO	Omit Joystick (For use with an Omni Display)	J
<input type="checkbox"/>	ECELJ	R-net (LED) Joystick	J
<input type="checkbox"/>	ECRJCL	R-net Joystick with Color screen	J
▶ JOYSTICKS WITH LIGHTING OPERATION			
<input type="checkbox"/>	ECELJL	R-net (LED) Joystick with Lighting Operation	OTP
<input type="checkbox"/>	ECRJCL	R-net Joystick with Color screen and Lighting Operation	OTP
▶ ADVANCED JOYSTICK			
<input type="checkbox"/>	ECRJ35	15 R-net Advanced Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	OTP
<input type="checkbox"/>	ECRJ35B	15 R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	OTP
Note 15 This option requires the expandable controller ECEL90 or ECR120			

▼ JOYSTICK MOUNT

<input type="checkbox"/>	JSMF	Fixed Joystick Mount	
<input type="checkbox"/>	JMSA	Swing Away Joystick Mount - Height adjustable, Angle adjustable and Multi-Axis	OTP
		<input type="checkbox"/> Set-up with standard installation to swing-away sideways	<input type="checkbox"/> Set-up at 35° to swing-away sideways and downwards
<input type="checkbox"/>	JSMCM	Midline Mounted Swing Away Joystick Mount	OTP

▼ JOYSTICK MOUNT SUPPORT

<input type="checkbox"/>	JSMFH	Joystick mount support Bracket	
--------------------------	-------	--------------------------------	--

▼ JOYSTICK HAND MOUNT

<input type="checkbox"/>	HML	Install Joystick on Left hand side	<input type="checkbox"/>	HMR	Install Joystick on Right hand side
--------------------------	-----	------------------------------------	--------------------------	-----	-------------------------------------

▼ JOYSTICK HANDLE

<input type="checkbox"/>	JSH	Standard Joystick Gimble	
<input type="checkbox"/>	JBAT	Stick Handle 3" in Length	OTP
<input type="checkbox"/>	JBH	Ball Handle	OTP
<input type="checkbox"/>	JFBH	Foam Ball Handle	OTP
<input type="checkbox"/>	JTH	T-Handle	OTP
<input type="checkbox"/>	JMUSH	New 2.5" Mushroom Handle	OTP
<input type="checkbox"/>	JGP	Goalpost Handle	OTP

▼ ATTENDANT DRIVE CONTROL OPTION

<input type="checkbox"/>	EADC	Attendant Hand Control for R-net EL & PM Controls	OTP
--------------------------	------	---	-----

▼ ATTENDANT JOYSTICK HAND MOUNT

<input type="checkbox"/>	EADCL	Install Attendant Joystick on Rear Left hand side	<input type="checkbox"/>	EADCR	Install Attendant Joystick on Rear Right hand side	OTP
--------------------------	-------	---	--------------------------	-------	--	-----

▼ ENHANCED DISPLAY & DIGITAL INTERFACE BOX (Included with specialty controls)

<input type="checkbox"/>	EDIB	16 OMNI (Enhanced Display & Digital Interface Box with Infrared)	J
Note 16 Allows the switch operation of alternative devices through driver controls. Requires one of the R-net fully Expandable Controllers (ECEL90 or ECR120)			

▼ ENHANCED DISPLAY MOUNT

<input type="checkbox"/>	EDSAM	User Swing Away Mount	<input type="checkbox"/>	EDML (Install Display on LH side)	<input type="checkbox"/>	EDMR (Install Display on RH side)	J
--------------------------	-------	-----------------------	--------------------------	-----------------------------------	--------------------------	-----------------------------------	---

▼ ENVIRONMENTAL CONTROL MODULE

<input type="checkbox"/>	ECU	17	Environment control module - (Output Module)	OTP
		Note 17	Requires one of the fully expandable R-net controllers (ECEL90 or ECR120)	

▼ BLUETOOTH MOUSE EMULATOR (Includes USB Dongle)

<input type="checkbox"/>	EDBT	18	Bluetooth Mouse Emulator (USB Dongle included)	OTP
		Note 18	Requires one of the fully expandable R-net controllers (ECEL90 or ECR120) . Not required if the ECRJC35B joystick has been selected Not limited to only one selection. Any two can be installed on the same chair, but only one can be used at a time.	
			<input type="checkbox"/> Windows and MAC OS	
			<input type="checkbox"/> Android Devices	
			<input type="checkbox"/> iPhone, iPad and iPod	

▼ POWER OPTIONS & SEATING

<input type="checkbox"/>	SAABA		Amyseat Rehab Seat - Seat Frame only	
<input type="checkbox"/>	SAPTXHD	19	Heavy-Duty CG Power Tilt	J
<input type="checkbox"/>	SAPRXHD	19, 20	Heavy-Duty Power Recline with Integrated Shear Reduction (ISR)	J
<input type="checkbox"/>	SAPTPRXHD	19, 20	Heavy-Duty CG Power Tilt and Power Recline with Integrated Shear Reduction (ISR)	J
<input type="checkbox"/>	SAPESXHD	19	Heavy-Duty 11" Power Elevating Seat Module for transfer assist	OTP
<input type="checkbox"/>	ADDPESXHD		Module - Add a Heavy-Duty 11" Power Elevating Seat to either SAPTXHD, SAPRXHD or SAPTPRXHD	
		Note 19	These options include the fully adjustable Amyseat (SAABA)	
		Note 20	It is recommended to use the Contour Back Support option with the power reclines (STDSB or STDSB/CUSTOM)	

▼ ELECTRONICS - SINGLE OR DUAL (1 OR 2 ACTUATORS) POWER SEAT FUNCTION CONTROLLERS

<input type="checkbox"/>	EPSV	21, 22	Tilt or Elevating seat activation through 6-key VR2 Hand Control (ECVJ6K or ECVJ9KL)	J
<input type="checkbox"/>	EPSEL	21, 22	Tilt or Elevating seat activation through R-NET 90 Amp Expandable Controller (ECEL90)	J
<input type="checkbox"/>	SAC		Single (1) Power Seat Function Controller to Interface through R-net Electronics	J
<input type="checkbox"/>	DAC		Dual (2) Power Seat Function Controller to Interface through R-net Electronics	J
With the SAC or DAC, please select one activation and position from the list below				
<input type="checkbox"/>	SWTJSS	23, 24	Single actuator activation through R-net Joystick or Specialty Controls EPSR2A	J
<input type="checkbox"/>	SWTJSD	23, 25	Dual actuator activation through R-net Joystick or Specialty Controls EPSRA	J
<input type="checkbox"/>	SWDUALACT		Dual Activation (Allows to operate all seat functions with external switches and through the joystick)	J
<input type="checkbox"/>	SWTOGGLE	24 or 25	Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/>	SWPUSH1	24	Single Push Button Switch (Single Mode: SAC)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/>	SWPUSH2	24 or 25	Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
		Note 21	Allows for the activation of a single power option through the VR2 or R-net 90 Amp Controllers. Only the Power Tilt or Elevating seat options are available with this feature.	
		Note 22	These options do not require the SAC controller as they connect via the chair's power module directly	
		Note 23	Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expandable Controllers	
		Note 24	Requires the Single (1 Actuator) Power Seat Function (SAC)	
		Note 25	Requires the Dual (2 Actuators) Power Seat Function (DAC)	

▼ ELECTRONICS - MULTIPLE (3 to 6 ACTUATORS) POWER SEAT FUNCTION CONTROLLER

<input type="checkbox"/>	MAC		Multiple (3 to 6 Actuators) Power Seat Function Controller to Interface through R-net Electronics	J
With the MAC, please select one activation and position from the list below				
<input type="checkbox"/>	SWTJSM	26, 27	Multiple Actuator activation through R-net Joystick or Specialty Controls MAC-EPSR	J
<input type="checkbox"/>	SWDUALACT		Dual Activation (Allows to operate all seat functions with external switches and through the joystick)	J
<input type="checkbox"/>	SWMULTI	27	4-Way Toggle Switch (Up to 4 Activations)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/>	SWMULTIT	27	Triple Toggle Switch (Up to 5 Activations)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/>	SWPUSH4	27	4-Way Push Button Switch	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/>	SWPUSH5	27	5-Way Push Button Switch	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
		Note 26	Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)	
		Note 27	Requires the R-net 90 Amp (ECEL90) or 120 Amp (ECR120) Fully Expandable Controller, and the multiple Actuator Controller (MAC)	

▼ SWITCH ACTIVATION HAND MOUNT

Switch Installation: TSML (Install Switch on LH side) TSMR (Install Switch on RH side)

▼ LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 26"

- SOWN19-24-22 Width adjustment from 19" to 24" with a maximum Depth 22"
- SOWN24-26-22 Width adjustment from 24" to 26" with a maximum Depth 22"

- | | | |
|--|---------------------------------------|--|
| <input type="checkbox"/> 19" (SOWN19L) | <input type="checkbox"/> 22" (SOWN22) | <input type="checkbox"/> 24" (SOWN24HDL) |
| <input type="checkbox"/> 20" (SOWN20L) | <input type="checkbox"/> 23" (SOWN23) | <input type="checkbox"/> 25" (SOWN25HDL) |
| <input type="checkbox"/> 21" (SOWN21) | <input type="checkbox"/> 24" (SOWN24) | <input type="checkbox"/> 26" (SOWN26HDL) |

▼ ADJUSTABLE SEAT DEPTH RANGE BETWEEN 17" AND 22"

- | | | | |
|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> 17" (SODN17) | <input type="checkbox"/> 18" (SODN18) | <input type="checkbox"/> 21" (SODN21) | <input type="checkbox"/> 22" (SODN22) |
| <input type="checkbox"/> 19" (SODN19) | <input type="checkbox"/> 20" (SODN20) | | |

▼ BACK CANE HEIGHT (The back cane height measurement is taken from the seat pan to the top of the push handles)

- 16" (SOBCH16)
- 18" (SOBCH18)
- 20" (SOBCH20)
- 22" (SOBCH22) ²⁸
- 24" (SOBCH24)
- 26" (SOBCH26)

Note 28 22" is the minimum back cane height required with a power or manual recline.

▼ PRE-SET SEAT ANGLE (For Non-Reclining Backs)

- SOBAA Please Select one: 82° 90° 98° 106°

▼ BACK SUPPORT

- STDSB ²⁹ Contour back support 15" to 20" Wide with a maximum shell height of 22" OTP
- STDSB/CUSTOM Contour back support Non Standard Sizes up to 24" wide Width: _____ Depth: _____ OTP
- Back Rest Upholstery
- Omit Back Rest Upholstery
- 3" Rigidizer Bar (Standard)
- 6" Rigidizer Bar

Note 29 It is recommended to use the Back Support option with the power recline.

▼ BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

- 16" (SOBH16)
- 18" (SOBH18)
- 20" (SOBH20)
- 22" (SOBH22) ³⁰

Note 30 22" is the minimum back height required with a power recline.

Note 31 The space between the bottom of the back and the seat pan is 4" with a non-reclining back and 6" with a reclining back.

▼ DUAL POST - HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRANSFER GRIPS (For Non-Reclining Backs - Choose 2)

- SOADPFLH Dual Post Height Adjustable - Full Length Left Side (Height Adjustable from 10 1/4" - 15 1/4")
- SOADPFRH Dual Post Height Adjustable - Full Length Right Side (Height Adjustable from 10 1/4" - 15 1/4")
- SOADPDLH Dual Post Height Adjustable - Desk Length Left Side (Height Adjustable from 10 1/4" - 15 1/4")
- SOADPDRH Dual Post Height Adjustable - Desk Length Right Side (Height Adjustable from 10 1/4" - 15 1/4")

▼ RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (For Reclining Backs - Choose 2)

- SOANIFLH Reclining armrest - Full Length Left Side (Height Adjustable from 10 1/2" to 14" with 1/2" increments) J*
- SOANIFRH Reclining armrest - Full Length Right Side (Height Adjustable from 10 1/2" to 14" with 1/2" increments) J*
- SOANIDLH Reclining armrest - Desk Length Left Side (Height Adjustable from 10 1/2" to 14" with 1/2" increments) J*
- SOANIDRH Reclining armrest - Desk Length Right Side (Height Adjustable from 10 1/2" to 14" with 1/2" increments) J*

*Only available with approval for power recline (SMD)

▼ ARMREST HEIGHT ADJUSTMENT AT FACTORY

Please set the Armrest Height at: _____ " (The Armrest Height is taken from the seat pan to the top of the armpad. Not required for Dual Post)

▼ ARMPADS

► Foam Type Selection

<input type="checkbox"/> SOFAPD	Desk Length Standard (10")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	
<input type="checkbox"/> SOFAPF	Full Length Standard (14")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	
<input type="checkbox"/> SOWAPD	33 Desk Length Waterfall (10")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	J
<input type="checkbox"/> SOWAPF	33 Full Length Waterfall (14")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	J

► Hybrid Gel and Foam Type Selection (The Gel always stays soft)

<input type="checkbox"/> SOGELD	Desk Length Hybrid Gel and Foam Flat armpad (10" x 2.5")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	OTP
<input type="checkbox"/> SOGELF	Full Length Hybrid Gel and Foam Flat armpad (14" x 2.5")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	OTP
<input type="checkbox"/> SOWGELD	33 Desk Length Hybrid Gel and Foam Waterfall armpad (10")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	OTP
<input type="checkbox"/> SOWGELF	33 Full Length Hybrid Gel and Foam Waterfall armpad (14")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	OTP

► Specialty Type Selection

<input type="checkbox"/> SOCAR	34 Arm Trough with Hand Support (18" x 4 1/2")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	OTP
Note 33 The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports				
Note 34 Arm Trough Armpads may interfere with Armrests Flipping back.				

▼ FOOTRESTS

<input type="checkbox"/> SOAAF	38 Adult Heavy Duty Swing-Away footrests	Set at: <input type="checkbox"/> 60°	<input type="checkbox"/> 70° 39	
		Select Footrest Range: <input type="checkbox"/> SOFLHD12 (12 1/2" - 15 1/2")	<input type="checkbox"/> SOFLHD14 (14 1/2" - 19 1/2")	
<input type="checkbox"/> ADDPLHD	35, 38 Adult Power Elevating & Articulating Legrests	Please Select Function: <input type="checkbox"/> Individual 36	<input type="checkbox"/> Combined 37	J*
		Select Footrest Range: <input type="checkbox"/> SOFLPW12 (12 1/2" - 15 1/2")	<input type="checkbox"/> SOFLPW14 (14 1/2" - 19 1/2")	
	38 Please set the Footrest Length at: _____ "	*Only available with approval for power ELRs (SMD)		

- Note 35** This options includes calf pads
- Note 36** Individual legs count as two power functins.
- Note 37** Combined legs count as one power function.
- Note 38** The Footrest Length is taken from the top of the seat pan to the top of the footplate.
- Note 39** The 70 degree footrest angle is not compatible with the 9" front casters (FC9PT and FC9PI)
The 70 degree footrest angle may interfere with the casters when selecting the straight front caster arms option.

▼ FOOTPLATES & ACCESSORIES

<input type="checkbox"/> SOSFAFHD	Flip-up Footplates			
<input type="checkbox"/> SOAFPHD	Angle Adjustable & Flip-up Footplates - Pair			J
<input type="checkbox"/> SOAHL	Heel Loops - Pair			
<input type="checkbox"/> SOACPFR	Calf Pads for Adult Heavy-Duty Swing-Away footrests (SOAAF) with adjustable hardware - Pair			J

▼ CENTER MOUNTS

<input type="checkbox"/> SOAAF90	42, 43, 44, 45, 46, 47 90° Fixed Center Mount Interface Bracket (Offers Manual adjustability from 95° to 70°)	Select Foot Platform Range: <input type="checkbox"/> SOFBA12 (12 1/2" - 16 1/2")	<input type="checkbox"/> SOFBA16 (16 1/2" - 19 1/2")	
<input type="checkbox"/> ADDPFHD	40, 41, 42, 44, 45, 46 90° Power Center Mount Elevating & Articulating Foot Platform	Select Foot Platform Range: <input type="checkbox"/> SOFBPW12 (12 1/2"- 16 1/2")	<input type="checkbox"/> SOFBPW16 (16 1/2"- 20 1/2")	J*
	45 Please set the Foot Platform Length at: _____ "	*Only available with approval for power ELRs (SMD)		

- Note 40** The power center mount counts as one power function
- Note 41** This option includes calf pads
- Note 42** Links and attaches the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPPB) to the seat
- Note 43** With the split footplates option (SOAFPPB), this bracket offers independent height adjustability for each footplate.
- Note 44** Please select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPPB)
- Note 45** The Foot Platform length is taken from the top of the seat pan to the top of the foot platform or split footplates.
- Note 46** Center Mount Front Riggings are not available with the Straight Front Arm option due to Mechanical conflicts
- Note 47** This option is not compatible with the 9" Caster option

▼ FOOT PLATFORMS & ACCESSORIES

<input type="checkbox"/> SOFUFP	Flip-up one piece Foot Platform			J
<input type="checkbox"/> SOAFPPB	Angle Adjustable & Flip-up Split Footplates for center mount - Each			J
<input type="checkbox"/> SOACFCM	Calf Pads for 90° Fixed Center Mount (SOAAF90) with adjustable hardware - Each			J

▼ SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19 ----- ISO OPTION)

SOAUTO80 80° Seat Positioning Strap


▼ HEADREST

SONJAHR Using headrest mounting hardware other than SOMAH located below. Specify: _____
 _____ Whitmyer PIL Linx Headrest
 _____ M2300 Bracket

SOHRBC Bracket to Mount on the Contour Back Support (**Without Recline**)

SOHRPR Bracket to Mount on the Seat Frame (**For Reclining Backs**)

* Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed



▼ SWITCHES AND OPTIONS

<input type="checkbox"/> SSBS-STD	Buddy Button Switch	OTP
<input type="checkbox"/> SSES-STD	Egg Switch-Black	OTP
<input type="checkbox"/> SSML	Ultra Light Switch	OTP

▼ SPECIALTY DRIVER CONTROL OPTIONS

▼ Therafin Sip n' Puff Kit

<input type="checkbox"/>	SCSNPK	48, 49	Therafin Sip n' Puff Kit				J
<input type="checkbox"/>	SCSNPBTk	49	Therafin Sip n' Puff Breath Tube Kit				J
<input type="checkbox"/>	SCSRMSNP	49	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)		J
<input type="checkbox"/>	SCSRM	49	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)		J
<input type="checkbox"/>	SSES-STD	49, 51	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)		J
<input type="checkbox"/>	SSBS-STD	49	Buddy Button Switch (Stop Switch) - Red				J
<input type="checkbox"/>	SOMAH	49	Multi-axis Headrest Removable Mounting Hardware				J
<input type="checkbox"/>	SOFHRS	50	Small Curved Headrest Pad 4" x 9"				J
<input type="checkbox"/>	SOFHRM	50	Medium Curved Headrest Pad 5" x 10"				J
<input type="checkbox"/>	SOFHRL	50	Large Curved Headrest Pad 6" x 11"				J

▼ Switch-It Proximity Head Array

<input type="checkbox"/>	SCSIHAA	48, 49	Adult - 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse				OTP
<input type="checkbox"/>	SCSRM	49	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)		OTP
<input type="checkbox"/>	SSES-STD	49, 51	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)		OTP
<input type="checkbox"/>	SSBS-STD	49	Buddy Button Switch (Stop Switch) - Red				OTP
<input type="checkbox"/>	SOMAH	49	Multi-axis Headrest Removable Mounting Hardware				OTP

▼ Proportional RIM Head Control Package

<input type="checkbox"/>	SCPHC	48, 49	Proportional RIM Head Control Package				J
<input type="checkbox"/>	SCSRM	49	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)		J
<input type="checkbox"/>	SSES-STD	49, 51	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)		J
<input type="checkbox"/>	SOMAH	49	Multi-axis Headrest Removable Mounting Hardware				J

▼ Switch-It MicroPilot Light Touch Proportional Mini joystick for chin / lip control

<input type="checkbox"/>	SCSIMP	48, 49	MicroPilot Light touch mini Proportional Joystick				OTP
<input type="checkbox"/>	SCSRMMP	49	Stealth Rock-n-Lock Swingaway Arm for Chin MP	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)		OTP
<input type="checkbox"/>	SCSRM	49	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)		OTP
<input type="checkbox"/>	SSES-STD	49, 51	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)		OTP
<input type="checkbox"/>	JCC		Chin Cup				OTP
<input type="checkbox"/>	SOMAH	49	Multi-axis Headrest Removable Mounting Hardware				OTP
<input type="checkbox"/>	SOFHRS	50	Small Curved Headrest Pad 4" x 9"				OTP
<input type="checkbox"/>	SOFHRM	50	Medium Curved Headrest Pad 5" x 10"				OTP
<input type="checkbox"/>	SOFHRL	50	Large Curved Headrest Pad 6" x 11"				OTP

▼ Proportional Compact or Mini joystick for Midline Mount

<input type="checkbox"/>	SCPGMJS	48, 49	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount				J
<input type="checkbox"/>	SCGMJSM	52	Gatlin Midline Swing-away Mount for JC200	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)		J
<input type="checkbox"/>	SCSIMP	48, 49	Switch-It MicroPilot Light touch mini Proportional Joystick				OTP
<input type="checkbox"/>	SCGMPM	53	Gatlin Midline Swing-away Mount for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)		OTP
<input type="checkbox"/>	SCBTM	54	Bullet Hand Tray for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)		OTP

▼ Proportional Compact or Mini joystick for Armrest Mount

<input type="checkbox"/>	SCPGMJS	48, 49	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount				J
<input type="checkbox"/>	SCARMJSM	52	Swing-away and Multi-Axis armrest mount	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)		J
<input type="checkbox"/>	SCSIMP	48, 49	Switch-It MicroPilot Light touch mini Proportional Joystick				OTP
<input type="checkbox"/>	SCARMPM	53	Swing-away and Multi-Axis armrest mount	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)		OTP
<input type="checkbox"/>	SCBTM	54	Bullet Hand Tray for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)		OTP

Note 48 Requires the OMNI Enhanced Display and Digital Interface Box (EDIB)

Note 49 This option must be selected for the kit

Note 50 Choose one (1) Headrest Pad

Note 51 The mode switch type can be changed from this selection on Page #6


Note 52 Must be selected for use with the PG Drives JC200 Mini Joystick

Note 53 Must be selected for use with the Switch-It MicroPilot

Note 54 This option is only compatible with the Switch-It MicroPilot

▼ CUSTOM SECTION

Note 55 Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.



▼ NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS
