



NAME _____ PHONE NO. _____
 ACCOUNT # _____ P.O. _____ DATE _____
 ADDRESS _____

Note: This form is only for the ordering wheelchairs for the Manitoba Wheelchair Program. A complete order form with all configurable options and accessories is available at www.invacare.ca

FRAME SELECTION

- 3GTQSP Torque SP Base for Seat with MK6i™ Electronics \$7,500
Torque SP comes standard with 300 lb. user weight capacity, 6.5 mph maximum speed, performance 4-pole motor package, SPJ+ joystick, MK690 Controller and Rubber Element rear wheel suspension.
- 3GSEAT Seat Only (For SMD Use Only) See Seat Selection
When ordering a replacement seat and changing depth to 20" or deeper, order new arms.
- 3GTQSPBASE FOR BASE ONLY. SEE 3GTQSP-CG Form #06-486C

TRANSPORT TIE-DOWN*

TRBKTS include four factory installed wheelchair transport brackets. TRBKTS are not to be cradled in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport. As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

* Transport Tie Down option is not recommended to existing models and is not field serviceable.

TRANSPORT TIE DOWN

- TRBKTS Wheelchair Transport Brackets No Charge

USER WEIGHT LIMITS

- U300 User Weight <300 Lbs. Standard

FRAME TYPE

- SFS Short Base No Charge
Standard with seat depths 16" - 18". Not available on seat depths of 1922D (19" to 22" seat depth range).
- LFS Long Base \$432
Standard with seat depths 19"-22". Not available on seat depths of 16" to 18".

ADJUSTABLE SEAT WIDTH RANGE

- 1620W 16" to 20" Seat Width Range No Charge
- 1922W 19" to 22" Seat Width Range \$460

FRAME WIDTH

Contours available in 16", 18", 20" and 22" seat widths.

- W16 16" Seat Width No Charge
- W17 17" Seat Width No Charge
- W18 18" Seat Width No Charge
- W19 19" Seat Width No Charge
- W20 20" Seat Width No Charge
- W21 21" Seat Width No Charge
- W22 22" Seat Width No Charge

PERFORMANCE MOTORS

Note: For G-Trac Module, go to Controller area under MK6i Selection

- PERF Performance 4-Pole Motor Standard

SEAT SELECTION

- ADJASBA Adjustable Rehab Seat with Adjustable Seat Tilt & Back Angle \$1,200

ADJUSTABLE SEAT DEPTH RANGE

- 1619D 16" to 19" Seat Depth Range (short base) No Charge
- 1922D 19" to 22" Seat Depth Range (long base) \$381

SEAT DEPTH SETTING

- D16 Seat Depth 16" No Charge
- D17 Seat Depth 17" No Charge
- D18 Seat Depth 18" No Charge
- D19 Seat Depth 19" No Charge
- D20 Seat Depth 20" No Charge
- D21 Seat Depth 21" No Charge
- D22 Seat Depth 22" No Charge

FOOT NOTES:
 1 - Option to purchase.
 2 - Justification required.

ADJASBA SEAT TO FLOOR HEIGHT

Listed values are for 0 degree Seat Angle and without TRBKTS. Please see below for additional information. (Values with an "F" represent factory settings, which are the lowest possible STF)

- LOW Seat To Floor 17.5" No Charge
- MED Seat To Floor 19.75" No Charge
- TALL Seat To Floor 21" No Charge

		Short Frame (16-19" Seat Depth)			Long Frame (19-22" Seat Depth)		
		Low	Medium	Tall	Low	Medium	Tall
Non-Powered Seating	w/ TRBKTS	17.5	19.75F	21F	17.75	20F	21.25F
0 Degree Seat Angle	w/o TRBKTS	17.25F	19.5F	20.75F	17.5F	19.75F	21F

BACK SELECTION

ASBA BACK TYPE

- SECT Sectional Rear Uprights No Charge
- L8661 Omit Rear Uprights Less \$25.00 Net

BACK HEIGHT

ADJASBA

- BH16 Back Height 16" No Charge
- BH17 Back Height 17" No Charge
- BH18 Back Height 18" No Charge
- BH19 Back Height 19" No Charge
- BH20 Back Height 20" No Charge
- BH21 Back Height 21" No Charge
- BH22 Back Height 22" No Charge
- BH23 Back Height 23" No Charge
- BH24 Back Height 24" No Charge

ASBA BACK ANGLE DEGREE

- 85BA 85 Degree \$71
- 90BA 90 Degree Standard
- 95BA 95 Degree \$71
- 100BA 100 Degree \$71
- 105BA 105 Degree \$71

BACK ACCESSORIES

- L8601 Omit Back Upholstery Less \$20.00 Net
- RBP Reinforced Back Upholstery \$90

ARM SELECTION

All arms are flip up and detachable.

ARM TYPE RIGHT

- 29FR Desk Length Adjustable Height Right No Charge
- 19FR Full Length Adjustable Height Right No Charge

ARM TYPE LEFT

- 19FL Full Length Adjustable Height Left No Charge
- 29FL Desk Length Adjustable Height Left No Charge

MK6i SELECTION

CONTROLLER

- MK690 90 Amp Controller Standard
- GTRAC G-Trac™ Electronic Gyroscope Module \$988 (1)

G-Trac provides Improved Tracking Capabilities and Enhanced Traction. Only available on 4-pole motors. Not available with SPJ+ joysticks.

STANDARD DRIVER CONTROL

- SPJPLUS SPJ+ Single Drive Joystick Standard

MULTIPLE DRIVE CONTROL OPTIONS

- PWH Harness required for Expandable Electronics No Charge
- Harness is required to interface joystick or MK6i display with expandable controllers. Option is located under Electronics Accessories in configurator.*
- CMPJM6U MPJ+ Multiple Drive Joystick with Colour Display \$875 (2)
- ASLRDYM6 MK6 Display Only (No Driver Control) \$242 (2)
- Display Only, No Driver control. Allows choice from order form.*
- 1558MM6 Compact Joystick with Display \$1,097 (2)

FOOT NOTES:

- 1 - Option to purchase.
- 2 - Justification required.

Invacare® 3G Torque™ SP Accessories and Options

NOTES

ALTERNATIVE DIGITAL CONTROL SYSTEMS

Must also use either a Multiple Drive Joystick or MK6i Display.

<input type="checkbox"/> SNPM6	Sip-N-Puff	\$2,135	(2)
<input type="checkbox"/> 5018M6	Wafer Board & Digital Interface Box	\$2,545	(1)

SIP N PUFF KIT

<input type="checkbox"/> PKG32666	Therapin Sip-N-Puff Breath Tube Kit	\$440	(2)
-----------------------------------	-------------------------------------	-------	-----

ADDITIONAL CONTROL CHOICES

<input type="checkbox"/> 1558M6	Compact Joystick - Less Std Mount	\$937	(1)
<input type="checkbox"/> PACM6	Proportional Attendant Control with Quick Release Mount	\$1,024	(1)

JOYSTICK MOUNTING HARDWARE

<input type="checkbox"/> QLAM6	Quad Link Retractable Joystick Mount MPJ+	\$358	(1)
<i>QLA and QLAM6 include Stealth Adjustable Height Joystick Mount</i>			
<input type="checkbox"/> QLA	Quad Link Retractable Joystick Mount SPJ+	\$358	(1)
<i>QLA and QLAM6 include Stealth Adjustable Height Joystick Mount</i>			
<input type="checkbox"/> LEFT	Left Hand Mounted Joystick	No Charge	

ELECTRONIC ACCESSORIES

<input type="checkbox"/> 1813M6	MK6i Programmer with Professional Memory Card	\$685	
<input type="checkbox"/> 1813SD	Professional Memory Card	\$112	
<input type="checkbox"/> A24VPS	24V MK6i Auxiliary Power Source	\$252	
<input type="checkbox"/> AUX12M6	Auxiliary Module For 1 & 2	\$706	(1,2)
<input type="checkbox"/> AUX34M6	Auxiliary Module For 3 & 4	\$706	(1,2)
<input type="checkbox"/> MPY	Mono Port "Y" Cable for MPJ+ or Display	\$22	(2)
<i>For use with MPJ+ or MK6i. Display to provide additional switch site.</i>			
<input type="checkbox"/> 2PB	Dual Push Button	No Charge	
<i>Option to replace Mono Port "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems.</i>			
<i>Not compatible with SPJ+ Joystick options.</i>			
<input type="checkbox"/> PBMT	Push Button Mounting Kit	\$352	

Memory Card - BASIC

- Standard with ALL Expandable Control Systems (CMP+, MK6i Display).
- Used to back up / restore programmed settings for only one chair.
- May be good to use as kept with product's files for safe keeping.
- Does not contain advanced diagnostics / help screens / file structure.
- Not compatible with SPJ+ Joysticks.

Memory Card - PROFESSIONAL

- Standard with ALL MK6i Programmers.
- Available also with USB Card Reader on Order Form.
- Contains advanced diagnostics, help screens, software upgrades, file structure, etc.
- Used to back up multiple chairs and programming settings.
- Intended for use by qualified personnel only.
- Not compatible with SPJ+ Joysticks.

FRAME AND UPHOLSTERY COLOUR

FRAME FINISH

<input type="checkbox"/> 24P	Wet Black	No Charge	
------------------------------	-----------	-----------	--

UPHOLSTERY COLOURS

<input type="checkbox"/> U240	Black Nylon Upholstery	Standard	
-------------------------------	------------------------	----------	--

CASTER AND WHEEL OPTIONS

CASTER OPTIONS

<input type="checkbox"/> 1228-3	8" X 2 1/4" Semi Pneumatic Casters Lt Grey	Standard	
<input type="checkbox"/> 1251-3	8" X 2" Pneumatic Casters	No Charge	

CASTER SUSPENSION

<input type="checkbox"/> 9213-8	Shock Fork For 8" Casters	\$209	(1)
---------------------------------	---------------------------	-------	-----

Not available with TRBKTS.

WHEEL OPTION *Note: SMD will not cover the cost of servicing pneumatic tires

<input type="checkbox"/> 1430-3	14" X 3" Pneumatic Tires	No Charge	(2)
<input type="checkbox"/> 1431-3	14" X 3" Tire with Foam Filled Inserts	No Charge	

REAR WHEEL LOCATION

<input type="checkbox"/> RWF2	Rear Wheel Forward 2"	\$70	
<i>This location changes the center of gravity and performance. Forward wheel position will make turning and climbing easier, but system will be more prone to "wheelie".</i>			
<input type="checkbox"/> RWF1	Rear Wheel Forward 1"	No Charge	
<input type="checkbox"/> RWS	Rear Wheel Standard	Standard	

FOOT NOTES:
1 - Option to purchase.
2 - Justification required.

FENDER OPTION

- FDR Fender \$66 (1)

POSITIONING STRAPS

SEAT POSITIONING STRAPS

- 1515 Auto Style Buckle Seat Positioning Strap Standard

CHEST POSITIONING STRAPS

- 7321BK Hook & Loop Chest Positioning Strap \$66

MISC ACCESSORIES

MISCELLANEOUS ACCESSORIES

- 1303 Wheel Locks \$93
Not available with pneumatic tires.
- 9205-3 Upgraded Monroe Spring Suspension Shocks \$150 (1)

BATTERY SELECTION

BATTERY BOXES

- GP24 Group 24 Battery Boxes Standard

INSTALLATION OF BATTERIES

Batteries will be installed by Invacare Corporation at no additional charge. Chair will be shipped complete with batteries

- 24BATTERY 24 Gel Battery (On chair) \$840

BATTERY CHARGER OPTIONS

- 110CHARGER 110 Volt Battery Charger No Charge
- L8900 Omit Charger No Charge

HANGER BRACKET SELECTION

HANGER BRACKET TYPE

- ASB Centre Pivot Style Bracket No Charge
- NHB No Hanger Bracket No Charge

FRONT RIGGING OPTIONS

CENTRE PIVOT STYLE

- 70NHD 70° Non-Tapered S/A Footrest 13.5"-17" (Steel) \$241
- 70STAPER 70° Tapered Footrests 13"-17" (Aluminum) \$281
- AT5044 Elevating Painted Legrests - Wedge Style \$567 (2)

FOOTPLATE OPTIONS

- 1651 Flip-Up Composite Footplates No Charge
- 1350 Extra Large Aluminum Footplates \$106
- AT5543 Adjustable Angle Flip Up Footplates \$132 (2)

FOOTREST/LEGREST ACCESSORIES

- 1337 Calf Strap \$63
- HLOOP Heel Loops (pair) \$84
- IMPACTG Impact Guards No Charge
- LPT2 Longer Pivot Slide Tube For 1350 \$132
- ALPT Longer Pivot And Slide Tube \$132
- ALPT3 Longer Pivot And Slide Tube 3" \$132
- ALPT4 Longer Pivot And Slide Tube 4" \$132

Not Available with AT5543

FOOT NOTES:
1 - Option to purchase.
2 - Justification required.

Torque SP Specifications		
*Overall Width	25"	with 14" x 3" wheel with 14" x 4" wheel
**Overall Length	28 1/2"	Short Base Long Base
**Seat-to-Floor	17 3/4"	Low Medium Tall
Battery	22NF deep cycle, crated (Not supplied)	

* Shipping Weight 266 lbs. (18" X 18" seat w/ Group 24 batteries)
 ** Measurement based on wheel base. Seat width is width picked plus 7 1/2" for the armrest and joystick.
 * Measured from headtube to anti-tipper.
 * Based on 5° tilt and 16" seat depth, add 1/4" for additional 2" of seat depth. Field adjustable for 10° of total pre-tilt.

Note: All specifications and dimensions are approximate.

Chair Features and Options

- Independent rear wheel suspension with new rubber element design
- 6.5 MPH standard speed range
- Programmable performance to meet individual needs
- 17.5" Seat-to-Floor Standard, 20" and 31 1/4" Optional
- Seat location system allows for balanced weight distribution
- Continuous tilt rear 0° - 10°
- Dynamic anti-tippers
- Rapid seat pan
- Convenient rear battery access
- 22NF batteries (sold in a single 22NF battery box, single battery connector)
- Arms are flip back/removable
- Adjustable depth rigging attachment ~ (1" increments)
- Automatic (dual) mode battery charger (Lester Brand)
- Compartment: 24 3/4" overall base width w/ 14" x 3" wheels
- Weight limit - 200 lbs.

Weight Limit 200 Pounds
 Invacare recommends all wheelchairs be fitted and programmed to the customer under the guidance of a healthcare professional knowledgeable of the particular limitations of the product.

Note: All weight limits are inclusive of add-on equipment and seat systems.

Invacare Canada reserves the right to change prices and specifications without notice.
 HEAD OFFICE - 570 Matheson Blvd, Unit# 8, Mississauga, ON L4Z 4G4 Phone: (905) 890-8300 (800) 668-5224(Canada) Fax: (905) 890-5244 (800) 668-5478(Canada)
 Regional Centre - 16768 Boul. Hymus, Kirkland, P.Q. H9H 3L4 Phones: (514) 630-6080 (800) 363-0137(P.Q.) Fax: (514) 630-6120
 Invacare®, and Yes, you can., are trademarks of Invacare Corporation.
 WWW.INVACARE.CA